

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 23/03/2021 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1. Product identifier**

Product form	:	Mixture
Product name	:	Ceramic Shampoo
UFI	:	4ADH-3WQA-KT1T-7465
Type of product	:	Detergent

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category Use of the substance/mixture : Professional use: Cleaning agent

#### 1.2.2. Uses advised against

No additional information available.

#### **1.3. Details of the supplier of the safety data sheet**

White Diamond Lentedreef 14 België T +32 486632580 www.white-diamond.be

#### **1.4. Emergency telephone number**

Country	Official advisory body	Address	Emergency number	Remark
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 B -1120 Bruxelles/Brussel	+32 70 245 245	Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee)

SECTION 2: Hazards identification		
2.1. Classification of the substance or mixture		
Classification according to Regulation (EC) No. 1272/2008 [CLP]		
Skin corrosion/irritation, Category 2	H315	
Serious eye damage/eye irritation, Category 1	H318	
Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412	
Full text of H statements : see section 16		

#### Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye damage. Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

	GHS05
Signal word (CLP)	: Danger
Contains	: Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl); Aminomodified
	Polydimethylsiloxane
Hazard statements (CLP)	: H315 - Causes skin irritation.
	H318 - Causes serious eye damage.
	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P264 - Wash hands thoroughly after handling.
	P280 - Wear eye protection, protective gloves, protective clothing.
	P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a
	doctor, a POISON CENTER.
	P501 - Dispose of contents and container to hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

## SECTION 3: Composition/information on ingredients

#### 3.1. Substances

#### Not applicable

#### 3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	CAS-No.: 97862-59-4 EC-No.: 931-296-8 REACH-no: 01-2119488533- 30	10 – 20	Eye Dam. 1, H318 Aquatic Chronic 3, H412
Alcohols, C9-11, ethoxylated	CAS-No.: 68439-46-3 EC-No.: 614-482-0 REACH-no: 01-2119980051- 45	1 – 10	Eye Irrit. 2, H319
Dodecylbenzenesulphonic acid, compound with 2,2',2"-nitrilotriethanol (1:1)	CAS-No.: 27323-41-7 EC-No.: 248-406-9	1 – 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl)	EC-No.: 931-329-6 REACH-no: 01-2119490100- 53	1 – 10	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Aminomodified Polydimethylsiloxane	CAS-No.: 75718-16-0 EC-No.: 616-256-7	1 – 10	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Specific concentration limits				
Name	Product identifier	Specific concentration limits		
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	CAS-No.: 97862-59-4 EC-No.: 931-296-8 REACH-no: 01-2119488533- 30	( 4 <c 10)="" 2,="" eye="" h319<br="" irrit.="" ≤="">( 10 <c 1,="" 100)="" dam.="" eye="" h318<="" td="" ≤=""></c></c>		

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation	<ul> <li>If you feel unwell, seek medical advice (show the label where possible).</li> <li>Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.</li> </ul>
First-aid measures after skin contact	: Take off contaminated clothing. Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. immediate medical advice.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	<ul> <li>Irritation.</li> <li>Serious damage to eyes.</li> <li>May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.</li> </ul>

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Water spray. Dry powder. Foam. Carbon dioxide.</li><li>Do not use a heavy water stream.</li></ul>
5.2. Special hazards arising from the subst	tance or mixture
Fire hazard Hazardous decomposition products in case of fire	<ul><li>Presents no particular fire or explosion hazard.</li><li>Toxic fumes may be released.</li></ul>
5.3. Advice for firefighters	
Firefighting instructions Protection during firefighting	<ul> <li>Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.</li> <li>Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.</li> </ul>

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equip	uipment and emergency procedures		
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for co	ntainment and cleaning up
Methods for cleaning up Other information	<ul><li>Take up liquid spill into absorbent material.</li><li>Dispose of materials or solid residues at an authorized site.</li></ul>
6.4. Reference to other sections	

For further information refer to section 8: "Exposure controls/personal protection". Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	<ul> <li>Wear personal protective equipment. Ensure good ventilation of the work station. Avoid contact with skin and eyes.</li> <li>Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>
7.2. Conditions for safe storage, including a	ny incompatibilities
Storage conditions Incompatible products Heat and ignition sources	<ul> <li>Keep only in the original container in a cool well ventilated place. Keep container closed when not in use.</li> <li>Strong acids. Strong oxidation agent.</li> <li>Keep away from heat and direct sunlight.</li> </ul>
7.3. Specific end use(s)	

No additional information available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

No additional information available.

#### 8.1.2. Recommended monitoring procedures

No additional information available.

#### 8.1.3. Air contaminants formed

No additional information available.

#### 8.1.4. DNEL and PNEC

No additional information available.

#### 8.1.5. Control banding

No additional information available.

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

protective clothing. Gloves. Safety glasses.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses. Standard EN 166 - Personal eye-protection - specifications

#### 8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing. EN 340

#### Hand protection:

Wear suitable gloves resistant to chemical penetration. Chemical resistant gloves (according to European standard NF EN 374 or equivalent)

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Gloves	Nitrile rubber (NBR), butyl rubber, Polyvinylchloride (PVC)	6 (> 480 minutes)	>0.11		EN 374

#### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. In case of inadequate ventilation wear respiratory protection. EN 143

#### 8.2.2.4. Thermal hazards

No additional information available.

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and o	chemical properties
Physical state Colour Odour Odour threshold Melting point Freezing point Boiling point Flammability Explosive limits Lower explosive limit (LEL)	<ul> <li>Liquid</li> <li>Not available</li> <li>characteristic.</li> <li>Not available</li> </ul>
Ipper explosive limit (UEL) lash point uto-ignition temperature Decomposition temperature H liscosity, kinematic iolubility artition coefficient n-octanol/water (Log Kow) apour pressure	<ul> <li>Not available</li> <li>&gt; 93 °C</li> <li>Not available</li> </ul>

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Vapour pressure at 50 °C Density Relative density	: 1	Not available Not available Not available
Relative vapour density at 20 °C		Not available
Particle size		Not applicable
Particle size distribution		Not applicable
Particle shape		Not applicable
Particle aspect ratio		Not applicable
Particle aggregation state		Not applicable
Particle agglomeration state		Not applicable
Particle specific surface area Particle dustiness		Not applicable
	. 1	Not applicable

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available.

9.2.2. Other safety characteristics

No additional information available.

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong acids. Strong oxidizing agents.

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information				
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008				
Acute toxicity (dermal)     :       Acute toxicity (inhalation)     :	Not classified Not classified Not classified )-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner			
LD50 oral rat	2335 mg/kg bodyweight			
LD50 dermal rat	> 2000 mg/kg			
ATE oral	2335 mg/kg bodyweight			

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl)		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye damage.	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	

# 11.2. Information on other hazards

No additional information available.

SECTION 12: Ecological information			
12.1. Toxicity			
Ecology - water : Hazardous to the aquatic environment, short-term : (acute) Hazardous to the aquatic environment, long-term : (chronic)	Harmful to aquatic life with long lasting effects. Not classified Harmful to aquatic life with long lasting effects.		
1-Propanaminium, 3-amino-N-(carboxymethy salts (97862-59-4)	I)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner		
LC50 - Fish [1]	1,11 mg/l (OECD 203; Pimephales promelas)		
EC50 - Crustacea [1]	1,9 mg/l (OECD 202; Daphnia magna)		
NOEC chronic fish	0,135 mg/l (OECD 210; Oncorhynchus mykiss)		
NOEC chronic crustacea	0,32 mg/l (Daphnia magna)		
Alcohols, C9-11, ethoxylated (68439-46-3)			
LC50 - Fish [1]	5 – 7 mg/l (Oncorhynchus mykiss)		
EC50 - Crustacea [1]	2,5 mg/l (Daphnia magna)		
Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl)			
LC50 - Fish [1]	2,4 mg/l (OECD 203; Oncorhynchus mykiss)		
EC50 - Crustacea [1]	≈ 3,2 mg/l (OECD 202; Daphnia magna)		
ErC50 algae	≈ 3,9 mg/l (OECD 201; Desmodesmus subspicatus)		
NOEC chronic fish	≈ 0,32 mg/l (OECD 204; Oncorhynchus mykiss)		
NOEC chronic crustacea	≈ 0,1 mg/l (OECD 211; Daphnia magna)		
12.2. Persistence and degradability			
Ceramic Shampoo			

Ceramic Shampoo		
Persistence and degradability	Biodegradable.	
Alcohols, C9-11, ethoxylated (68439-46-3)		
Persistence and degradability	Readily biodegradable.	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl)			
Persistence and degradability	Readily biodegradable.		
12.3. Bioaccumulative potential			
Ceramic Shampoo			
Bioaccumulative potential	not bioaccumulative.		
Dodecylbenzenesulphonic acid, compound w	/ith 2,2',2''-nitrilotriethanol (1:1) (27323-41-7)		
Partition coefficient n-octanol/water (Log Pow)	1,85		
Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl)			
Partition coefficient n-octanol/water (Log Pow)	3,1		
12.4. Mobility in soil			
Ceramic Shampoo			
Ecology - soil	Product adsorbs onto the soil.		
12.5. Results of PBT and vPvB assessment			
Ceramic Shampoo			
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII			
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			
12.6. Endocrine disrupting properties			
No additional information available.			
12.7. Other adverse effects			

No additional information available.

# SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14: Transport information**

ADR IMDG IATA ADN RID				
ADR	INDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available.				
14.6. Special precautions for user				

# Overland transport

Not regulated

#### Transport by sea Not regulated

Air transport

Not regulated

#### Inland waterway transport Not regulated

### Rail transport

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(b)	Ceramic Shampoo ; 1- Propanaminium, 3-amino- N-(carboxymethyl)-N,N- dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts ; Alcohols, C9-11, ethoxylated ; Dodecylbenzenesulphonic acid, compound with 2,2',2"-nitrilotriethanol (1:1) ; Amides, C8-18 (even numbered) and C18-unsatd., N,N- bis(hydroxyethyl) ; Aminomodified Polydimethylsiloxane	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(c)	Ceramic Shampoo ; 1- Propanaminium, 3-amino- N-(carboxymethyl)-N,N- dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts ; Amides, C8-18 (even numbered) and C18- unsatd., N,N- bis(hydroxyethyl) ; Aminomodified Polydimethylsiloxane	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Detergent Regulation (648/2004/EC): Labelling of contents		
Component	%	
amphoteric surfactants	15-30%	
anionic surfactants, non-ionic surfactants 5-15%		

#### 15.1.2. National regulations

No additional information available.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Abbreviations and acronyms		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ATE	Acute Toxicity Estimate	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LD50	Median lethal dose	
РВТ	Persistent Bioaccumulative Toxic	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	

Data sources

: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

```
Other information
```

#### : REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements			
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
H315	Causes skin irritation.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]				
Skin Irrit. 2	H315	Calculation method		
Eye Dam. 1	H318	Calculation method		
Aquatic Chronic 3	H412	Calculation method		

# Safety Data Sheet applicable for regions: BE - BelgiumThe classification complies with: ATP 12

This Safety Data Sheet is compiled by: ChemPros B.V. | +31(0)797676006 | info@chemprosbv.nl